





MECHANICAL

PIN 1 MARKING

RECOMMENDED PC BOARD LAYOUT

SCHEMATIC



COPLANARITY 0.004"


ELECTRICAL SPECIFICATIONS

- URNS RATIO: 1:1
- OPEN CIRCUIT INDUCTANCE: 180μH NOM. (1-2) (SH1, 4) (SH 2, 3)
10 KHz 100mV
- DC RESISTANCE: 0.008 OHMS NOM. (1-2) (SH 1, 4) (SH 2, 3)
- IR: 1K MEGOHMS MIN. @ 500 VDC (1-4)
- IMPEDANCE: 1 MHz - 800 OHMS MIN.
10 MHz - 1.1K OHMS MIN.
100 MHz - 275 OHMS MIN.
- CURRENT RATING: 5.6A

RoHS COMPLIANT

ISSUE	DATE	REVISION	BY
B	1-10-11	REVISE MECHANICALS	JDC
A	1-17-08	CUSTOMER PRINT	JDC


DESIGNED PER:	BH CATALOG
CUSTOM	NON-PROPRIETARY <input checked="" type="checkbox"/>
DRAWN	Kathy Loftus
ENGR.	J. DECRAMER
UNLESS OTHERWISE SPECIFIED: DIMENSIONS IN INCHES, TOLERANCES NON-CUMULATIVE. .XX±.01 .XXX±.005	
PAGE 1 OF 2	



® BH Electronics, Inc.
Burnsville & Marshall, MN
© 1998 BH Electronics

TITLE:
COMMON MODE CHOKE

PART NO.
L10-0103



CARRIER TAPE 811-0137

DESIGNED PER:

BH CATALOG

CUSTOM NON-PROPRIETARY

DRAWN Kathy Loftus

ENGR. J. DECRAMER

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS IN INCHES, TOLERANCES
NON-CUMULATIVE.

.XX±.01 .XXX±.005

PAGE 2 OF 2



® BH Electronics, Inc.
Burnsville & Marshall, MN

© 1998 BH Electronics

TITLE:

COMMON MODE CHOKE

PART NO.

L10-0103

ISSUE	DATE	REVISION	BY
B	1-10-11	REVISE MECHANICALS	JDC
A	1-17-10	CUSTOMER PRINT	JDC